

## DS-PK1-LT-WE Wireless Keypad

|     | HIKVESION |     |       |    |
|-----|-----------|-----|-------|----|
| -   |           |     | ÷     | 0  |
|     |           |     |       | 1  |
|     |           |     |       |    |
| 18  | 25.       | 38. | 9     | -  |
| 42. | 5         | 6   | 0     | û  |
| 717 | 81,1      | 911 | ō     |    |
| **  | 0.4       | #*  | 6.4.W | 49 |
|     |           | O   |       |    |

- 868MHz two-way wireless communication
- LCD screen and LED to indicate system status
- System configuration through LCD screen
- Multiple operations like stay/away arm, disarm, silent alarm, output control
- One-Push fire alarm, panic alarm, and medical alarm
- Full touch key design with LED backlight
- Fully remote configurable through App





| <ul> <li>Specification</li> </ul> | on |
|-----------------------------------|----|
|-----------------------------------|----|

| Hardware features          |   |  |  |
|----------------------------|---|--|--|
| Tag reader built in        | Supported   |  |  |
| Serial port                | 3   |  |  |
| Tamper-Proof               | Supported, front and rear   |  |  |
| Buzzer                     | Supported   |  |  |
| Power switch               | Power on/off  |  |  |
| Electrical characteristics |   |  |  |
| Battery type               | Four CR123 batteries  |  |  |
| Operation humidity         | 10% to 90%  |  |  |
| Operation temperature      | -10 °C to 55 °C   |  |  |
| Battery life span          | Standby time more than two years  |  |  |
| Power consumption          | Quiescent current: 80 uA  |  |  |
|                            | Max current: 300 mA   |  |  |
|                            | Voltage: 3 V  |  |  |
| Wireless transmission      |   |  |  |
| RF frequency               | 868 MHz   |  |  |
| RF modulation              | 2GFSK   |  |  |
| RF distance                | 1200 m (open area)  |  |  |
| Wireless technology        | Tri-X Wireless Technology   |  |  |
| Display                    |   |  |  |
| Numeric key                | Number key: 0 to 9  |  |  |
|                            | Function key: *, #, Query, Away arm, Stay arm, Disarm, Output, Project, Right, Left |  |  |
| LED indicator              | Fault(orange), Enrollment/Signal (red/green), Arm(blue), Disarm(green), Alarm (red) |  |  |
| General                    |   |  |  |
| Installation method        | Wall mounting   |  |  |
| Dimension(W×H×D)           | 174.63 mm × 109.62 mm × 25.25 mm  |  |  |
| Weight                     | With batteries: 348 g   |  |  |
|                            | Without batteries: 282 g  |  |  |
| Color                      | White   |  |  |

## Available Model

DS-PK1-LT-WE



Distributed by

Γ

L



## Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA T +1-909-895-0400 sales.usa@hikvision.com

Hikvision Australia T +61-2-8599-4233 salesau@hikvision.com

Hikvision India T +91-22-28469900 sales@pramahikvision.com

Hikvision Canada T +1-866-200-6690 sales.canada@hikvision.com

Hikvision Thailand T +662-275-9949 sales.thailand@hikvision.com Hikvision Europe T +31-23-5542770 sales.eu@hikvision.com

Hikvision Italy T +39-0438-6902 info.it@hikvision.com

Hikvision Brazil T +55 11 3318-0050 Latam.support@hikvision.com

Hikvision Turkey T +90 (216)521 7070- 7074 sales.tr@hikvision.com

Hikvision Malaysia T +601-7652-2413 sales.my@hikvision.com Hikvision UK & Ireland T +01628-902140 sales.uk@hikvision.com

Hikvision South Africa Tel: +27 (10) 0351172 sale.africa@hikvision.com

Hikvision France T +33(0)1-85-330-450 info.fr@hikvision.com

Hikvision Kazakhstan T +7-727-9730667 nikia.panfilov@hikvision.ru

Hikvision Vietnam T +84-974270888 sales.vt@hikvision.com Hikvision UAE T +971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +65-6684-4718 sg@hikvision.com

Hikvision Spain T +34-91-737-16-55 info.es@hikvision.com

Hikvision Tashkent T +99-87-1238-9438 uzb@hikvision.ru

Hikvision Hong Kong T +852-2151-1761 info.hk@hikvision.com Hikvision Russia T +7-495-669-67-99 saleru@hikvision.com

Hikvision Korea T +82-(0)31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50 info.pl@hikvision.com

Hikvision Indonesia T +62-21-2933759 Sales.Indonesia@hikvision.com

Hikvision Colombia sales.colombia@hikvision.com

© Hikvision Digital Technology Co., Ltd. 2020 | Data subject to change without notice |